

GS10

Energy Saving Device (Extend)

When a card is inserted into the energy saving device, room lights and electric appliances will be operated. The body cover is die casted of zinc alloy. It is not easily broken. Covers are available in a variety of attractive finishes.



GS10 : ควบกุมระบบไฟฟ้าอัตโนมัติ หลังดีงการ์ตออก (ติตตั้งกายใน บริเวณประตูทางออกของห้องพัก)

L302

HOTEL KEY CARD LOCK

		Allows access to guest room and hotel's public facilities.
0		Allows access to all room not double-locked. It provides additional feature to program the other application of key cards.
0	Maid Card	Allows access to specific rooms for house-keeping staffs.
0	Maintenance Card	Allows access to specific rooms for maintenance staffs.
0	Guest Lock-out Card	Invalidate Guest Card for early check-out or when card is lost.

NO WIRING

Each lock is entirely self-contained, operating on standard AA batteries.

ENERGY SAVING

State-of-the-art Bi-stable electronic mechanism ensures minimum energy usage. The batteries will provide power for about 30,000 operations-equivalent to 120 a day for a whole year.

KEY OVERRIDE

Key override provides for emergency access by Hotel Management.

SECURE

The internal handle always allows safe exit. Every new key card applied to the lock will automatically invalid all previous cards for entering.

CONSTRUCTION

Streamline and stylish appearance. Body is well constructed by zinc alloy with tamper-proof feature.Card slot has special design against water invade and dust fall out.



L302: ทาบบัตรเพื่อเปิดประตูก่อนเข้าห้องพัก



